

## Annual index

### Subject index

- Accelerated transformation of aldicarb, oxamyl and ethoprophos after repeated soil treatments. SMELT, J. H., CRUM, S. J. H., TEUNISSEN, W. AND LEISTRA, M., 295
- Accuracy and uniformity of insecticide treatment of commercially produced plant-propagated modules. SUETT, D. L., 179
- Acephate and dimethoate: non-target effects against *Eusieus tularensis* Congdon and *Aphytis melinus* DeBach on lemons in California, 388
- Aerial application of Matacil insecticide to control spruce budworm, 130
- Aerial application of ULV sprays by aircraft over and within the cotton canopy in the Sudan Gezira: distribution patterns, 143
- Africa, sub-Saharan French-speaking: ULV spraying for cotton-pest control, 38
- Age effect of rice cv. IR46 on susceptibility to *Scirpophaga incertulas* (Walker), 33
- Agricultural practices and land use: changes causing reduction in numbers of wild rabbit, 347
- Air-assistance, droplet size and electrostatic charge: effect on distribution of ULV sprays in tomatoes, 226
- Aldicarb, oxamyl and ethoprophos: accelerated transformation after repeated soil treatments, 295
- Allium cepa* L., onion: evaluation of forecaster for downy mildew, 95
- Aluminium ethyl phosphite: mode of action in four *Phytophthora* spp., 82
- Aphicides: application to sugar beet and swedes, 365
- Aphid, cabbage: control on commercial farms, 379
- Aphytis melinus* DeBach and *Eusieus tularensis* Congdon: non-target effects of dimethoate and acephate on lemons in California, 388
- Apple orchards, Washington State: effectiveness of five rodenticides and three application procedures in controlling Microtine voles, 277
- Apple pests in Southern England, supervised control, 234
- Apples and Sitka spruce: pheromone monitoring system for winter moth, 191
- Application of aphicides to sugar beet and swedes, 365
- Application procedures and rodenticides for control of Microtine voles in apple orchards, 277
- Arthropod natural enemies of insect pests in Florunner peanuts: effect of sicklepod control, 185
- Arthropods, microbial control, 117
- Assessing yield losses in deepwater rice due to yellow stem borer, *Scirpophaga incertulas* (Walker), in Bangladesh and Thailand. CATLING, H. D., ISLAM, Z. AND PATTRASUDHI, R., 20
- Australian plague locust, *Chortoicetes terminifera* (Walker): origin and control of 1984 plague, 13
- Aversions of starlings and house sparrows to five chemical repellents: effects of colour, 402
- Bangladesh: small mammals and stored food losses in farm households, 200
- Bangladesh and Thailand: assessing yield losses in deepwater rice due to *Scirpophaga incertulas* (Walker), 20
- Bemisia tabaci* Genn. and its parasites on cotton in the Sudan Gezira: effects of chlorfenvinphos, 109
- Bemisia tabaci* (whitefly): resistance in cotton in the Sudan, 171
- Biology and control of selected weed species in the genus *Oxalis*: *O. stricta* L., *O. latifolia* H.B.K. and *O. pes-caprae* L. MARSHALL, G., 355
- Blackbird damage to sunflower fields: decoy plantings, 56
- Blue mould infections: failure of UV irradiation to reduce beneficially in water handling system for pome fruit, 399
- Broad-leaved weeds in winter cereals with isoxaben in France: yield response to pre-emergence control, 75
- Butachlor performance as affected by water overflowing from a herbicide-treated field. CASTIN, E. M. AND MOODY, K., 197
- Cabbage aphid control on commercial farms in the Thames Valley, UK. JUSOH, M. M. AND NORTON, G. A., 379
- Cabbage root fly (*Delia radicum*) and carrot fly (*Psila rosae*): effect of carbofuran soil treatment on subsequent performance of insecticides, 371
- California: non-target effects of dimethoate and acephate against *Eusieus tularensis* Congdon and *Aphytis melinus* DeBach on lemons, 388
- Capsicum frutescens* L. (chilli pepper), transplanted, in Nigerian savanna: evaluation studies, 283
- Carbofuran soil treatment: effect on subsequent performance of insecticides against cabbage root fly and carrot fly, 371
- Carrot fly (*Psila rosae*) and cabbage root fly (*Delia radicum*): effect of carbofuran soil treatment on subsequent performance of insecticides, 371
- Cereals, winter, broad-leaved weeds in: pre-emergence response to control with isoxaben in France, 75
- Chemical control of sorghum head bugs (Hemiptera: Miridae). SHARMA, H. C. AND LEUSCHNER, K., 334
- Chemical repellents: effects of colour on aversions of starlings and house sparrows, 402
- Chilli pepper (*Capsicum frutescens* L.), transplanted, in Nigerian savanna: herbicide evaluation studies, 283
- Chlordimeform, formamidine insecticide: effect on feeding and reproduction in *Spodoptera littoralis*, 3
- Chlorfenvinphos: effects on *Bemisia tabaci* and its parasites on cotton in the Sudan Gezira, 109
- Chortoicetes terminifera* (Walker), Australian plague locust: origin and control of 1984 plague, 13
- Coconut mite, *Eriophyes guerrieronis* Keifer: control by stem injection of vamidothion, 329
- Colour: effects on aversions of starlings and house sparrows to five chemical repellents, 402
- Columba palumbus* (wood pigeons): development of scaring device, 104
- Commercial monitoring programme for the onion fly, *Delia antiqua* (Meigen) (Diptera: Anthomyiidae). VERNON, ROBERT S., JUDD, G. J. R. AND BORDEN, J. H., 304
- Comparative studies on the mode of action of aluminium ethyl phosphite in four *Phytophthora* species. DERCKS, W. AND BUCHENAUER, H., 82
- Comparison of application methods for aphicides on sugar beet and swedes. CAYLEY, G. R., GRIFFITHS, D. C., LEWTHWAITE, R., PYE, B. J., DEWAR, A. M. AND WINDER, G. H., 365
- Control and biology of selected weed species in the genus *Oxalis*: *O. stricta* L., *O. latifolia* H.B.K. and *O. pes-caprae* L. MARSHALL, G., 355
- Control of cabbage aphid on commercial farms, 379
- Control of cotton pests: ULV spraying in sub-Saharan French-speaking Africa, 38
- Control of *Macrophomina phaseolina* and subsequent muskmelon vine decline: failure of fumigation and solarization, 261
- Control, microbial, of arthropods, 117
- Control of Microtine voles in apple

- orchards using five rodenticides and three application procedures, 277
- Control and origin of 1984 plague of Australian plague locust, 13
- Control, pre-emergence, of broad-leaved weeds in winter cereals with isoxaben in France: yield response, 75
- Control of sicklepod: effect on insect pests and their arthropod natural enemies in Florunner peanuts, 185
- Control of spruce budworm with aerial application of Matacil flowable insecticide, 130
- Control of stripe rust of wheat with fungicides applied adjacent to the seed at sowing. BROWN, JOHN S., 157
- Control, supervised, of apple pests in Southern England, 234
- Control, weed, in cowpea: effects of different tillage methods and pre-emergence herbicides, 289
- Control of weed, pest and disease complex in cowpea (*Vigna unguiculata* (L.) Walp.) by the application of pesticides singly and in combination. OLOWE, T., DINA, S. O., OLADIRAN, A. O. AND OLUNGA, B. A., 222
- Control of weeds in proso millet by residual herbicides, 61
- Cotton canopy: distribution patterns of aerially applied ULV sprays by aircraft in the Sudan Gezira, 43
- Cotton (*Gossypium hirsutum*) in the Sudan: resistance to whitefly, 171
- Cotton in the Sudan Gezira: effects of chlorfenvinphos on *Bemisia tabaci* and its parasites, 109
- Cotton-pest control: a review of the introduction of ultra-low-volume (ULV) spraying in sub-Saharan French-speaking Africa. CAUQUIL, J., 38
- Cowpea (*Vigna unguiculata* (L.) Walp.): control of seed, pest and disease complex by pesticides, 222
- Cowpea (*Vigna unguiculata* (L.) Walp.): effect of different tillage methods and pre-emergence herbicides on weed control, 289
- Cryptolaemus montrouzieri* Mulsant (Coleoptera: Coccinellidae) adults: toxicity of different fungicides, 161
- Cydia nigricans* (F.) and *C. medicaginis* (Kuzn.): efficacy and stability of sex-attractant lures, 7
- Cymoxanil in mixture with oxadixyl and mancozeb: systemicity and persistence against *Phytophthora infestans* and *Plasmopara viticola*, 393
- Damage, blackbird, to commercial sunflower fields: decoy plantings, 56
- Daminozide and 2,4-D-triethanolamine: effects of spray application parameters on foliar uptake and translocation in *Vicia faba*, 163
- Dead arm disease of vines, caused by *Phomopsis viticola* Sacc: inhibition of sporulation by fosetyl-Al, 148
- Decoy plantings for reducing blackbird damage to nearby commercial sunflower fields. CUMMINGS, JOHN L., GUARINO, JOSEPH L., KNITTLE, C. EDWARD AND ROYALL, WILLIS, C., JR., 56
- Delia antiqua* (Meigen) (Diptera: Anthomyiidae), onion fly: commercial monitoring programme, 304
- Delia radicum* (cabbage root fly) and *Psila rosae* (carrot fly): influence of carbofuran soil treatment on subsequent insecticide performance, 371
- Deroceras reticulatum* (Müller), slug: factors affecting toxicity of poisons, 341
- Development of a pheromone monitoring system for the winter moth, *Operophtera brumata* (L.) in apples and in Sitka spruce. HAND, S. C., ELLIS, N. W. AND STOAKLEY, J. T., 191
- Development of a simple scaring device for woodpigeons (*Columba palumbus*). INGLIS, I. R. AND ISAACSON, A. J., 104
- Dicarboximide fungicides in grapes: resistance management strategies, 139
- Dimethoate and acephate: non-target effects against *Eusieus tularensis* Congdon and *Aphytis melinus* DeBach on lemons in California, 388
- Direct-drilled lucerne: effect of pesticides on performance, 326
- Diseases and pests, quarantine: problems and perspectives of modelling pandemics, 211
- Disease, weed and pest complex in cowpea: control by pesticides, 222
- Distribution patterns of aerially applied ULV sprays by aircraft over and within the cotton canopy in the Sudan Gezira. UK, S., 43
- Downy mildew of onion (*Allium cepa* L.): evaluation of forecaster, 95
- Drechslera sorokiniana* (Sacc.) Subram. & Jain (leaf blight): effect on yield of wheat, 256
- Droplet size, air-assistance and electrostatic charge: effect on distribution of ULV sprays in tomatoes, 226
- 2,4-D-triethanolamine and daminozide: effects of spray application parameters on foliar uptake and translocation in *Vicia faba*, 163
- Economic losses by rats on experimental rice farms in the Philippines. AHMED, MD SAYED, FIEDLER, LYNWOOD A. AND HEINRICH, E. A., 271
- Effect of the formamidine insecticide chloridimeform on feeding and reproduction in the noctuid moth, *Spodoptera litoralis* (Boisduval). DAVENPORT, ANTHONY P. AND WRIGHT, DENIS J., 3
- Effect of leaf blight caused by *Drechslera sorokiniana* (Sacc.) Subram. & Jain. on some yield components of wheat. BAZLUR RASHID, A. Q. M., BAHADUR MEAH, M. AND JALALUDDIN, M., 256
- Effect of pesticides on the performance of direct-drilled lucerne. KUNELIUS, H. T., WILLIS, C. B., KIMPINSKI, J. AND THOMSON, L. S., 326
- Effectiveness of five rodenticides and three application procedures in controlling Microtine voles (*Microtus montanus*) in Washington State apple orchards, 277
- Effects of chlorfenvinphos on *Bemisia tabaci* Genn. and its parasites on cotton in the Sudan Gezira. SHIRES, S. W., INGLESFIELD, C. AND TIPTON, J. D., 109
- Effects of colour on the aversions of starlings and house sparrows to five chemical repellents. GREIG-SMITH, P. W. AND ROWNEY, C. M., 402
- Effect of plant architecture on levels of *Helminthosporium sativum* infection on spring wheat grown in Zambia. BRANDLE, J. E., NAMWILA, J. C. P. AND LITTLE, R., 153
- Effects of a range of fungicides used to control rust (*Uromyces viciae-fabae*) on spring-sown field beans (*Vicia faba*) in the UK. YEOMAN, D. P., LAPWOOD, D. H. AND MCEWEN, J., 90
- Effects of spray application parameters on foliar uptake and translocation of daminozide and 2,4-D-triethanolamine in *Vicia faba*. STEVENS, P. J. G. AND BUKOVAC, M. J., 163
- Efficacy and stability of sex-attractant lures for *Cydia nigricans* (F.) and *Cydia medicaginis* (Kuzn.). WALL, C., BOURNOVILLE, R., GREENWAY, A. R. AND EINHORN, J., 7
- Electrostatic charge, droplet size and air-assistance: effect on distribution of ULV sprays in tomatoes, 226
- England, Southern: supervised control of apple pests, 234
- Eriophyes guerrieronis* Keifer, coconut mite: stem injection of vamidothion for control, 329
- Ethoprophos, aldicarb and oxamyl: accelerated transformation after repeated soil treatments, 295
- Evaluation of a forecaster for downy mildew of onion (*Allium cepa* L.). JESPERSON, G. D. AND SUTTON, J. C., 95
- Experimental aerial application of Matacil flowable insecticide to control spruce budworm (Lepidoptera: Tortricidae). CADOGAN, BERESFORD L., 130
- Failure of fumigation and solarization to control *Macrophomina phaseolina* and subsequent muskmelon vine decline. HARTZ, T. K., CARTER, W. W. AND BRUTON, B. D., 261
- Failure of UV irradiation to reduce blue mould infections beneficially in an experimental water handling system for pome fruit. PENROSE, L. J., NICHOLLS, M. R. AND KOFFMAN, W., 399
- Field beans (*Vicia faba*) in the UK: effects of fungicides to control rust, 96
- Fluoroacetamide baits to control rock hyrax in fruit orchards, 265
- Foliar uptake and translocation of daminozide and 2,4-D-triethanolamine in *Vicia faba*: effects of spray application parameters, 163
- Fonofos insecticide, microencapsulated, for improvement of ryegrass establishment, 313
- Forecaster for downy mildew of onion

- (*Allium cepa* L.), 95
- Formamidin insecticide, chlordimeform: effect on feeding and reproduction in *Spodoptera littoralis*, 3
- Fosetyl-Al to inhibit sporulation of *Phomopsis viticola* Sacc., cause of dead arm disease in vines, 148
- France: yield response to pre-emergence control of broad-leaved weeds in winter cereals with isoxaben, 75
- Fruit orchards: control of rock hyrax by fluoroacetamide baits, 265
- Fumigation and solarization: failure to control *Macrophomina phaseolina* and muskmelon vine decline, 261
- Fungal parasitism and population dynamics of *Heterodera schachtii* in soil from a sugar-beet monoculture, 49
- Fungicides applied adjacent to wheat seed at sowing for control of stripe rust, 157
- Fungicides to control rust (*Uromyces viciae-fabae*) on spring-sown field beans (*Vicia faba*) in the UK, 90
- Fungicides, dicarboximide, in grapes: resistance management strategies, 139
- Fungicides, different: toxicity to adult *Cryptolaemus montrouzieri*, 161
- Fungicides: quantification of synergistic interactions against *Plasmopara* and *Phytophthora*, 64
- Genetic analysis of resistance to green leafhopper *Nephotettix virescens* (Distant) in some selected rice varieties. RUANGSOOK, B. AND KHUSH, G. S., 244
- Gossypium hirsutum* (cotton) in the Sudan: resistance to whitefly, 171
- Green leafhopper, *Nephotettix virescens* (Distant): genetic analysis of resistance in rice cvs, 244
- Grapes: resistance management strategies with dicarboximide fungicides, 139
- Handling system, water, experimental for pome fruit: failure of UV irradiation to reduce blue mould infections beneficially, 399
- Helminthosporium sativum*: effect of plant architecture on infection levels on spring wheat in Zambia, 153
- Herbicide evaluation studies in transplanted chilli pepper (*Capsicum frutescens* L.) in the Nigerian savanna. ADIGUN, J. A., LAGOKE, S. T. AND KARIKARI, S. K., 283
- Herbicides, pre-emergence, and tillage methods: effects on weed control in cowpea, 289
- Herbicides, residual, for weed control in proso millet, 61
- Herbicide-treated field, water overflowing from: effect on butachlor performance, 197
- Heterodera schachtii* in soil from a sugar-beet monoculture: population dynamics and fungal parasitism, 49
- House sparrows and starlings: effects of colour on aversions to five chemical repellents, 402
- Impact of sicklepod control on several insect pests and their arthropod natural enemies in Florunner peanuts. MACK, T. P., WALKER, R. H. AND WEHTJE, G., 185
- Improving ryegrass establishment with microencapsulated fonofos insecticide. MATHEWS, P. R., COTTEY, A. J. AND CLEMENTS, R. O., 313
- Infection levels of *Helminthosporium sativum* on spring wheat in Zambia: effect of plant architecture, 153
- Influence of droplet size, air-assistance and electrostatic charge upon the distribution of ultra-low-volume sprays on tomatoes. ABDELBAKI, HAMAD A. AND ADAMS, ANDREW J., 226
- Influence of different tillage methods and pre-emergence herbicides on weed control in cowpea (*Vigna unguiculata* (L.) Walp.). AKINYEMIJU, O. A. AND ECHENDU, T. N. C., 289
- Influence of treatment of soil with carbofuran on the subsequent performance of insecticides against cabbage root fly (*Delia radicum*) and carrot fly (*Psila rosae*). SUETT, DAVID, 371
- Inhibition of sporulation of *Phomopsis viticola* Sacc., cause of dead arm disease of vines, by fosetyl-Al under field conditions. JAILLOUX, F., BUGARET, Y. AND FROIDEFOND, G., 148
- Insecticide, formamidin: effect of chlordimeform on feeding and reproduction in *Spodoptera littoralis*, 3
- Insecticide-induced change in the levels of resistance of rice cvs to the white-backed planthopper *Sogatella furcifera* (Horváth) (Homoptera: Delphacidae). SALIM, M. AND HEINRICHS, E. A., 28
- Insecticide, Matacil flowable: experimental aerial application to control spruce budworm, 130
- Insecticide, micro-encapsulated fonofos, for improvement of ryegrass establishment, 313
- Insecticides against cabbage root fly and carrot fly: effect of carbofuran soil treatment, 371
- Insecticide treatment of commercially produced plant-propagation modules: accuracy and uniformity, 179
- Insect pests and their arthropod natural enemies in Florunner peanuts: effect of sicklepod control, 185
- Isoxaben: yield response to pre-emergence control of broad-leaved weeds in winter cereals in France, 75
- Land use and agricultural practices: changes causing reduction in numbers of wild rabbit, 347
- Leaf blight caused by *Drechslera sorokiniana* (Sacc.) Subram. & Jain.: effect on yield components of wheat, 256
- Lemons in California: non-target effects of dimethoate and acephate against *Eusieus tularensis* Congdon and *Aphytis melinus* DeBach, 388
- Locust, Australian plague, *Chortoicetes terminifera* (Walker): origin and control of 1984 plague, 13
- Losses, economic, by rats on experimental rice farms in the Philippines, 271
- Lucerne, direct-drilled: effect of pesticides on performance, 326
- Lures, sex-attractant, for *Cydia nigricans* and *C. medicaginis*: efficacy and stability, 7
- Macrophomina phaseolina* and muskmelon vine decline: failure of fumigation and solarization to control, 261
- Mammals, small, and stored food losses in farm households in Bangladesh, 200
- Mancozeb and oxadixyl in mixture with cymoxanil: systemicity and persistence against *Phytophthora infestans* and *Plasmopara viticola*, 393
- Matacil flowable insecticide: experimental aerial application to control spruce budworm, 130
- Microbial control of arthropods, 117
- Microencapsulated fonofos insecticide for improvement of ryegrass establishment, 313
- Microtine voles (*Microtus montanus*) in apple orchards: control using five rodenticides and three application procedures, 277
- Millet, proso (*Panicum miliaceum* L.): weed control by residual herbicides, 61
- Modelling pandemics of quarantine pests and diseases: problems and perspectives. HEESTERBEEK, J. A. P. AND ZADOKS, J. C., 211
- Monitoring programme, commercial, for onion fly, 304
- Multiple pest complexes on soybean: influences of three-cornered alfalfa hopper injury on pod and stem blight and stem anthracnose diseases and seed vigour. RUSSIN, J. S., NEWSOM, L. D., BOETHEL, D. J. AND SPARKS, A. N., JR, 320
- Muskmelon vine decline and *Macrophomina phaseolina*: failure of fumigation and solarization to control, 261
- Nephotettix virescens* (Distant), green leafhopper: genetic analysis of resistance in rice cultivars, 244
- Nigerian savanna: herbicide evaluation studies in transplanted chilli pepper, 283
- Noctuid moth, *Spodoptera littoralis* (Boisduval): effect of chlordimeform on feeding and reproduction, 3
- Non-target effects of dimethoate and acephate against *Eusieus tularensis* Congdon and *Aphytis melinus* DeBach on lemons in California. PHILLIPS, P. A., MACKLITT, D. AND MEAD, M., 388
- Onion, *Allium cepa* L.: evaluation of fore-caster for downy mildew, 95
- Onion fly, *Delia antiqua* (Meigen) (Diptera: Anthomyiidae): commercial monitoring programme, 304
- Operophtera brumata* (L.) (winter moth) in apples and in Sitka spruce: pheromone monitoring system, 191
- Origin and control of the 1984 plague of

- the Australian plague locust *Chortoicetes terminifera* (Walker). WRIGHT, D. E. AND SYMMONS, P. M., 13
- Oryctolagus cuniculus* (wild rabbit): reduction in numbers due to changes in agricultural practices and land use, 347
- Oxalis latifolia*, H.B.K., *O. pes-caprae* L. and *O. stricta* L.: biology and control of selected weed species in the genus *Oxalis*, 355
- Oxamyl, aldicarb and ethoprophos: accelerated transformation after repeated soil treatments, 295
- Pandemics of quarantine pests and diseases: problems and perspectives of modelling, 211
- Panicum miliaceum* L. (proso millet): weed control by residual herbicides, 61
- Parasites of *Bemisia tabaci* on cotton in the Sudan Gezira: effects of chlorfenvinphos, 109
- Parasitism, fungal, and population dynamics of *Heterodera schachtii* in soil from a sugar-beet monoculture, 49
- Peanuts, Florunner: impact of sicklepod control on several insect pests and their arthropod natural enemies, 185
- Pest complexes, multiple, on soybean: influences of threecornered alfalfa hopper injury on pod and stem blight and stem anthracnose diseases, and stem vigour, 320
- Pest, weed and disease complex in cowpea: control with insecticides, 222
- Pesticides: effect on performance of direct-drilled lucerne, 326
- Pesticides, singly and in combination, for control of weed, pest and disease complex in cowpea, 222
- Pests, apple, in Southern England: supervised control, 234
- Pests and diseases, quarantine: problems and perspectives of modelling pandemics, 211
- Pheromone monitoring system for the winter moth, *Operophtera brumata* (L.), in apples and in Sitka spruce, 191
- Philippines: economic losses by rats on experimental rice farms, 271
- Phomopsis viticola* Sacc., cause of vine dead arm disease: inhibition of sporulation by fosetyl-Al, 148
- Phytophthora infestans* and *Plasmopara viticola*: systemicity and persistence of cymoxanil in mixture with oxadixyl and mancozeb, 393
- Phytophthora* and *Plasmopara*: quantification of synergistic interactions of fungicides, 64
- Phytophthora* species: mode of action of aluminium ethyl phosphite, 82
- Plague locust, Australian [*Chortoicetes terminifera* (Walker)]: origin and control of 1984 plague, 13
- Plant age effect of rice cv. IR46 on susceptibility to the yellow stem borer *Scirpophaga incertulas* (Walker) (Lepidoptera: Pyralidae). VIAJANTE, V. AND HEINRICH, E. A., 33
- Planthopper, whitebacked, *Sogatella furcifera* (Horváth): insecticide-induced change in levels of resistance of rice cvs, 28
- Plant-propagation modules, commercially produced: accuracy and uniformity of insecticide treatment, 179
- Plasmopara* and *Phytophthora*: quantification of synergistic interactions of fungicides, 64
- Plasmopara viticola* and *Phytophthora infestans*: systemicity and persistence of cymoxanil in mixture with oxadixyl and mancozeb, 393
- Pod and stem blight, stem anthracnose and seed vigour of soybean: influences of threecornered alfalfa hopper injury, 320
- Poisons, factors affecting toxicity to slug, 341
- Pome fruit handling system, water: failure of UV irradiation to reduce blue mould infections beneficially, 399
- Population dynamics and fungal parasitism of *Heterodera schachtii* in soil from a sugar-beet monoculture, 49
- Present and future status of microbial control of arthropods. HARPER, JAMES D., 117
- Procapia capensis* (rock hyrax) in fruit orchards: control by fluoroacetamide baits, 265
- Proso millet (*Panicum miliaceum* L.): weed control by residual herbicides, 61
- Psila rosae* (carrot fly) and *Delia radicum* (cabbage root fly): effect of carbofuran soil treatment on subsequent performance of insecticides, 371
- Quantification of synergistic interactions of fungicides against *Plasmopara* and *Phytophthora*. GRABSKI, C. AND GISI, U., 64
- Quarantine pests and diseases, pandemics: problems and perspectives of modelling, 211
- Rabbit, wild (*Oryctolagus cuniculus*): reduction in numbers due to changes in agricultural practices and land use, 347
- Rats: economic losses on experimental rice farms in the Philippines, 271
- Reduction in the numbers of the wild rabbit (*Oryctolagus cuniculus*) due to changes in agricultural practices and land use. BOAG, B., 347
- Residual herbicides for weed control in proso millet (*Panicum miliaceum* L.). ANDERSON, P. L. AND GREB, B. W., 61
- Resistance to green leafhopper in rice cultivars: genetic analysis, 244
- Resistance management strategies for dicarboximide fungicides in grapes: results of six years' trial work. LÖCHER, F. J., LORENZ, G. AND BEETZ, K.-J., 139
- Resistance of rice cvs to *Sogatella furcifera*: insecticide-induced change, 28
- Resistance to whitefly (*Bemisia tabaci*) in cotton (*Gossypium hirsutum*) in the Sudan. SIPPELL, D. W., BINDRA, O. S. AND KHALIFA, H., 171
- Rice cultivar IR46: age effect of susceptibility to *Scirpophaga incertulas*, 33
- Rice cultivars: insecticide-induced change in resistance levels to *Sogatella furcifera*, 28
- Rice, deepwater: yield losses due to *Scirpophaga incertulas* in Bangladesh and Thailand, 20
- Rice farms, experimental, in the Philippines: economic losses by rats, 271
- Rice varieties, selected: genetic analysis of resistance to green leafhopper, 244
- Rock hyrax, *Procapia capensis*, in fruit orchards: control by fluoroacetamide baits, 265
- Rodenticides and application procedures for control of Microtine voles in apple orchards, 277
- Rust (*Uromyces viciae-fabae*): effects of a range of fungicides for control on field beans in the UK, 90
- Ryegrass establishment: improvement with microencapsulated fonofos insecticide, 313
- St Lucia: stem injection of vamidothion for coconut mite control, 329
- Seed vigour, stem anthracnose, and pod and stem blight of soybean: influences of threecornered alfalfa hopper injury, 320
- Scaring devices for woodpigeons, 104
- Scirpophaga incertulas* (Walker) (Lepidoptera: Pyralidae). Plant age effect of rice cv IR46 on susceptibility, 33
- Scirpophaga incertulas* (Walker), yellow stem borer: yield losses in deepwater rice in Bangladesh and Thailand, 20
- Sex-attractant lures for *Cydia nigricans* and *C. medicaginis*: efficacy and stability, 7
- Sicklepod control: effect on insect pests and their arthropod natural enemies in Florunner peanuts, 185
- Sitka spruce and apples: pheromone monitoring system for winter moth, 191
- Slug, *Deroceras reticulatum* (Müller): factors affecting toxicity of poisons, 341
- Small mammal and stored food losses in farm households in Bangladesh. MIAN, MD YOUSUF, AHMED, MD SAYED AND BROOKS, JOE E., 200
- Sogatella furcifera* (Horváth): insecticide-induced change in levels of resistance of rice cvs, 28
- Soil from a sugar-beet monoculture: population dynamics and fungal parasitism of *Heterodera schachtii*, 49
- Soil treatment with carbofuran: effect on subsequent performance of insecticide against cabbage root fly and carrot fly, 371
- Soil treatments, repeated, with aldicarb, oxamyl and ethoprophos, and accelerated transformation, 295
- Solarization and fumigation: failure to control *Macrophomina phaseolina* and muskmelon vine decline, 261
- Some factors affecting the toxicity of poisons to the slug *Deroceras reticulatum* (Müller) (Pulmonata: Limacidae). BRIGGS, G. G. AND HENDERSON, I. F., 341



- Sorghum head bugs, chemical control, 334
- Soybean, multiple pest complexes: influence of threecornered alfalfa hopper injury on pod and stem blight and stem anthracnose diseases and seed vigour, 320
- Spodoptera littoralis* (Boisduval), noctuid moth: effect of chlordimeform on feeding and reproduction, 3
- Spray application parameters: effects on foliar uptake and translocation of daminozide and 2,4-D-triethanolamine in *Vicia faba*, 163
- Sprayer performance, tracer techniques for comparison, 123
- Spraying, ULV, in sub-Saharan French-speaking Africa for cotton-pest control, 38
- Sprays, ULV, applied by aircraft to the cotton canopy in the Sudan Gezira: distribution patterns, 43
- Spruce budworm control by experimental aerial application of Matacil flowable insecticide, 130
- Starlings and house sparrows: effects of colour on aversions to five chemical repellents, 402
- Stem anthracnose, pod and stem blight, seed vigour of soybean: influences of threecornered alfalfa hopper injury, 320
- Stem injection of vamidothion for control of coconut mite, *Eriophyes guerreronis* Keifer in St Lucia. MOORE, D. AND ALEXANDER, L., 329
- Stored food losses and small mammals in farm households in Bangladesh, 200
- Stripe rust of wheat: control with fungicides applied adjacent to the seed at sowing, 157
- Studies on the population dynamics and fungal parasitism of *Heterodera schachtii* in soil from a sugar-beet monoculture. CRUMP, D. H. AND KERRY, B. R., 49
- Sudan: resistance to whitefly in cotton, 171
- Sudan Gezira: distribution patterns of aerially applied ULV sprays by aircraft over and within the cotton canopy, 43
- Sudan Gezira: effects of chlorfenvinphos on *Bemisia tabaci* and its parasites in cotton, 109
- Sugar-beet monoculture in soil: population dynamics and fungal parasitism of *Heterodera schachtii*, 49
- Sugar beet and swedes: aphicide application, 365
- Sunflower fields, commercial: decoy plantings for reducing blackbird damage, 56
- Supervised control of apple pests in Southern England. CARDEN, P. W., 234
- Susceptibility of rice cv. IR46 to *Scirpophaga incertulas*: plant age effect, 33
- Swedes and sugar beet: aphicide application, 365
- Synergistic interactions of fungicides against *Plasmopara* and *Phytophthora*: quantification, 64
- Systemicity and persistence of cymoxanil in mixture with oxadixyl and mancozeb against *Phytophthora infestans* and *Plasmopara viticola*. SAMOUCHA, Y. AND GISI, U., 393
- Thailand and Bangladesh: assessing yield losses in deepwater rice due to *Scirpophaga incertulas* (Walker), 20
- Thames Valley, UK: cabbage aphid control on commercial farms, 379
- Threecornered alfalfa hopper injury: effect on pod and stem blight, stem anthracnose, and seed vigour of soybean, 320
- Tillage methods and pre-emergence herbicides: effects on weed control in cowpea, 289
- Tomatoes: effect of droplet size, air-assistance and electrostatic charge on distribution of ULV sprays, 226
- Toxicity of different fungicides to adult *Cryptolaemus montrouzieri* Mulsant (Coleoptera: Coccinellidae). RAMESH BABU, T. AND AZAM, K. M., 161
- Toxicity of poisons to slug, 341
- Tracer technique for the comparison of sprayer performance. CAYLEY, G. R., GRIFFITHS, D. C., HULME, P. J., LEWTHWAITE, R. J. AND PYE, B. J., 123
- UK: effects of fungicides used to control rust on spring-sown field beans, 90
- ULV spraying in sub-Saharan French-speaking Africa for cotton-pest control, 38
- ULV sprays applied by aircraft to the cotton canopy in the Sudan Gezira: distribution patterns, 43
- ULV sprays: effect of droplet size, air-assistance and electrostatic charge on distribution in tomatoes, 226
- Uromyces viciae-fabae* (rust): effects of a range of fungicides for control on field beans in the UK, 90
- UV irradiation: failure to reduce blue mould infections beneficially in water handling system for pome fruit, 399
- Vamidothion, stem injection for coconut mite control, 329
- Vicia faba*: effects of spray application parameters on foliar uptake and translocation of daminozide and 2,4-D-triethanolamine, 163
- Vicia faba* in the UK: effects of fungicides to control rust, 90
- Vigna unguiculata* (L.) Walp. (cowpea): control of weed, pest and disease complex by pesticides, 222
- Vigna unguiculata* (L.) Walp. (cowpea): effect of different tillage methods and pre-emergence herbicides on weed control, 289
- Vine dead arm disease caused by *Phomopsis viticola* Sacc.: inhibition of sporulation by fosetyl-Al, 148
- Washington State apple orchards: effectiveness of five rodenticides and three application procedures in controlling Microtine voles, 277
- Weed control in cowpea: effects of different tillage methods and pre-emergence herbicides, 289
- Weed control in proso millet: use of residual herbicides, 61
- Weed, pest and disease complex in cowpea: control with pesticides, 222
- Weeds, broad-leaved: yield response to pre-emergence control in winter cereals with isoxaben in France, 75
- Weed species, selected, in genus *Oxalis*: biology and control, 355
- Wheat, spring, in Zambia: effect of plant architecture on levels of *Helminthosporium sativum* infection, 153
- Wheat, stripe rust: control with fungicides applied adjacent to the seed at sowing, 157
- Wheat, yield components: effect of leaf blight, 256
- Whitefly (*Bemisia tabaci*): resistance in cotton in the Sudan, 171
- Winter moth, *Operophtera brumata* (L.) in apples and in Sitka spruce: pheromone monitoring system, 191
- Wood pigeons (*Columba palumbus*): development of scaring device, 104
- Yellow stem borer, *Scirpophaga incertulas* (Walker): assessing yield losses in deepwater rice in Bangladesh and Thailand, 20
- Yellow stem borer, *Scirpophaga incertulas* (Walker) (Lepidoptera: Pyralidae): plant age effect of rice cv. IR46 on susceptibility, 33
- Yield components of wheat: effect of leaf blight, 256
- Yield losses in deepwater rice due to *Scirpophaga incertulas* in Bangladesh and Thailand, 20
- Yield response to pre-emergence control of broad-leaved weeds in winter cereals with isoxaben in France. HUGGENBERGER, F. AND GUEGEN, F., 75
- Zambia: effect of plant architecture on levels of *Helminthosporium sativum* infection on spring wheat, 153

## Author index

- ABDELBAGI, HAMAD A. AND ADAMS, ANDREW J.: Influence of droplet size, air-assistance and electrostatic charge upon the distribution of ultra-low-volume sprays on tomatoes, 226
- ADAMS, ANDREW J., see ABDELBAGI, HAMAD A. AND ADAMS, ANDREW J.
- ADIGUN, J. A., LAGOKE, S. T. AND KARIKARI, S. K.: Herbicide evaluation studies in transplanted chilli pepper (*Capsicum frutescens* L.) in the Nigerian savanna, 283
- AHMED, MD SAYED, FIEDLER, LYNWOOD A. AND HEINRICHS, E. A.: Economic losses by rats on experimental rice farms in the Philippines, 271; see also MIAN, MD YOUSEF *et al.*
- AKINYEMIJU, O. A. AND ECHENDU, T. N. C.: Influence of different tillage methods and pre-emergence herbicides on weed control in cowpea (*Vigna unguiculata* (L.) Walp.), 289
- ALEXANDER, L., see MOORE, D. AND ALEXANDER, L.
- ANDERSON, R. L. AND GREB†, B. W.: Residual herbicides for weed control in proso millet (*Panicum miliaceum* L.), 61
- ASKHAM, LEONARD R., see HUNTER, RAYMOND E.
- AZAM, K. M., see RAMESH BABU, T. AND AZAM, K. M.
- BAHADUR MEAH, M., see BAZLUR RASHID, A. Q. M. *et al.*
- BAZLUR RASHID, A. Q. M., BAHADUR MEAH, M. AND JALALUDDIN, M.: Effect of leaf blight caused by *Drechslera sorokiniana* (Sacc.) Subram. & Jain. on some yield components of wheat, 256
- BEETZ, K.-J., see LÖCHER, F. J. *et al.*
- BINDRA, O. S., see SIPPELL, D. W. *et al.*
- BOAG, B.: Reduction in the numbers of the wild rabbit due to changes in agricultural practice and land use, 347
- BOETHEL, D. J., see RUSSIN, J. S. *et al.*
- BORDEN, J. H., see VERNON, ROBERT S. *et al.*
- BOURNOVILLE, R., see WALL, C. *et al.*
- BRANDLE, J. E., NAMWILA, J. C. P. AND LITTLE, R.: Effect of plant architecture on levels of *Helminthosporium sativum* infection on spring wheat grown in Zambia, 153
- BRIGGS, G. G. AND HENDERSON, I. F.: Some factors affecting the toxicity of poisons to the slug *Deroceras reticulatum* (Müller) (Pulmonata: Limacidae), 341
- BROOKS, JOE E., see AHMED, MD SAYED *et al.*
- BROWN, JOHN S.: Control of stripe rust of wheat with fungicides applied adjacent to the seed at sowing, 157
- BRUTON, B. D., see HARTZ, T. K. *et al.*
- BUCHENAUER, H., see DERCKX, W. AND BUCHENAUER, H., 82
- BUGARET, Y., see JAILLOUX, F. *et al.*
- BUKOVAC, M. J., see STEVENS, P. J. G. AND BUKOVAC, M. J.
- CADOGAN, BERESFORD L.: Experimental aerial application of Matacil flowable insecticide to control spruce budworm (Lepidoptera: Tortricidae), 130
- CARDEN, P. W.: Supervised control of apple pests in Southern England, 234
- CARTER, W. W., see HARTZ, T. K. *et al.*
- CASTIN, E. M. AND MOODY, K.: Butachlor performance as affected by water over-flowing from a herbicide-treated field, 197
- CATLING, H. D., ISLAM, Z. AND PATTRA-SUDHI, R.: Assessing yield losses in deepwater rice due to yellow stem borer, *Scirpophaga incertulas* (Walker), in Bangladesh and Thailand, 20
- CAUQUIL, J.: Cotton-pest control: a review of the introduction of ultra-low-volume (ULV) spraying in sub-Saharan French-speaking Africa, 38
- CAYLEY, G. R., GRIFFITHS, D. C., HULME, P. J., LEWTHWAITE, R. J. AND PYE, B. J.: Tracer techniques for the comparison of sprayer performance, 123
- CAYLEY, G. R., GRIFFITHS, D. C., LEWTHWAITE, R., PYE, B. J., DEWAR, A. M. AND WINDER, G. H.: Comparison of application methods for aphicides on sugar beet and swedes, 365
- CLEMENTS, R. O., see MATHEWS, P. R. *et al.*
- COHEN, M., see MORAN, S. *et al.*
- COTTEY, A. J., see MATHEWS, P. R. *et al.*
- CRUM, S. J. H., see SMELT, J. H. *et al.*
- CRUMP, D. H. AND KERRY, B. R.: Studies on the population dynamics and fungal parasitism of *Heterodera schachtii* in soil from a sugar-beet monoculture, 49
- CUMMINGS, JOHN L., GUARINO, JOSEPH L., KNITTLE, C. EDWARD AND ROYALL, WILLIS C., JR: Decoy plantings for reducing blackbird damage to nearby commercial sunflower fields, 56
- DAVENPORT, ANTHONY P. AND WRIGHT, DENIS J.: Effect of the formamidine insecticide chlordimeform on feeding and reproduction in the noctuid moth, *Spodoptera litoralis* (Boisduval), 3
- DERCKX, W. AND BUCHENAUER, H.: Comparative studies on the mode of action of aluminium ethyl phosphite in four *Phytophthora* species, 82
- DEWAR, A. M., see CAYLEY, G. R. *et al.*
- DINA, S. O., see OLOWE, T. *et al.*
- DIRIWACHTER, G., SOZZI, D., NEY, C. AND STAUB, T.: Cross resistance in *Phytophthora infestans* and *Plasmopara viticola* against different phenylamides and unrelated fungicides, 250
- ECHENDU, T. N. C., see AKINYEMIJU, O. A. AND ECHENDU, T. N. C.
- EINHORN, J., see WALL, C. *et al.*
- ELLIS, N. W., see HAND, S. C. *et al.*
- FIEDLER, LYNWOOD A., see AHMED, MD SAYED *et al.*
- FROIDEFOND, G., see JAILLOUX, F. *et al.*
- GISI, U., see GRABSKI, C. AND GISI, U.; SAMOUCHA, Y. AND GISI, U.
- GODFREY, MICHAEL E. R., see HUNTER, RAYMOND E.
- GRABSKI, C. AND GISI, U.: Quantification of synergistic interactions of fungicides against *Plasmopara* and *Phytophthora*, 64
- GREB†, B. W., see ANDERSON, R. L. AND GREB†, B. W.
- GREENWAY, A. R., see WALL, C. *et al.*
- GREIG-SMITH, P. W. AND ROWNY, C. M.: Effects of colour on the aversions of starlings and house sparrows to five chemical repellents, 402
- GRIFFITHS, D. C., see CAYLEY, G. R. *et al.*
- GUARINO, JOSEPH L., see CUMMINGS, JOHN L. *et al.*
- GUEGEN, F., see HUGGENBERGER, F. AND GUEGEN, F.
- HAND, S. C., ELLIS, N. W. AND STOKLEY, J. T.: Development of a pheromone monitoring system for the winter moth, *Operophtera brumata* (L.) in apples and in Sitka spruce, 191
- HARPER, JAMES D.: Present and future status of microbial control of arthropods, 117
- HARTZ, T. K., CARTER, W. W. AND BRUTON, B. D.: Failure of fumigation and solarization to control *Macrophomia phaseolina* and subsequent muskmelon vine decline, 261
- HEESTERBEEK, J. A. P. AND ZADOKS, J. C.: Modelling pandemics of quarantine pests and diseases: problems and perspectives, 211
- HEINRICHS, E. A., see AHMED, MD SAYED *et al.*; SALIM, M. AND HEINRICHS, E. A.
- HENDERSON, I. F., see BRIGGS, G. G. AND HENDERSON, I. F.
- HUGGENBERGER, F. AND GUEGEN, F.: Yield response to pre-emergence control of broad-leaved weeds in winter cereals with isoxaben in France, 75
- HULME, P. J., see CAYLEY, G. R. *et al.*
- HUNTER, RAYMOND E., ASKHAM, LEONARD R. AND GODFREY, MICHAEL E. R.: Effectiveness of five rodenticides and three application procedures in controlling Microtine voles (*Microtus montanus*) in Washington State apple orchards, 277
- INGLESFIELD, C., see SHIRES, S. W. *et al.*
- INGLIS, I. R. AND ISAACSON, A. J.: Development of a simple scaring device for wood pigeons (*Columba palumbus*), 104

- ISAACSON, A. J., see INGLIS, I. R. AND ISAACSON, A. J.
- ISLAM, Z., see CATLING, H. D. *et al.*
- JAILLOUX, F., BUGARET, Y. AND FROIDEFOND, G.: Inhibition of sporulation of *Phomopsis viticola* Sacc., cause of dead arm disease of vines, by fosetyl-Al under field conditions, 148
- JALALUDDIN, M., see BAZLUR RASHID, A. Q. M. *et al.*
- JESPERSON, G. D. AND SUTTON, J. C.: Evaluation of a forecaster for downy mildew of onion (*Allium cepa* L.), 95
- JUDD, G. J. R., see VERNON, ROBERT S. *et al.*
- JUSOH, M. M. AND NORTON, G. A.: Cabbage aphid control on commercial farms in the Thames Valley, UK, 379
- KARIKARI, S. K., see ADIGUN, J. A. *et al.*
- KERRY, B. R., see CRUMP, D. H. AND KERRY, B. R.
- KHALIFA, H., see SIPPELL, D. W. *et al.*
- KHUSH, G. S., see RUANGSOOK, B. AND KHUSH, G. S.
- KIMPINSKI, J., see KUNELIUS, H. T. *et al.*
- KNITTLE, C. EDWARD, see CUMMINGS, JOHN L. *et al.*
- KOFFMANN, W., see PENROSE, L. J. *et al.*
- KUNELIUS, H. T., WILLIS, C. B., KIMPINSKI, J. AND THOMPSON, L. S.: Effect of pesticides on the performance of direct-drilled lucerne, 326
- LAGOKE, S. T., see ADIGUN, J. A. *et al.*
- LAPWOOD, D. H., see YEOMAN, D. P. *et al.*
- LEISTRA, M., see SMELT, J. H. *et al.*
- LEUSCHNER, K., see SHARMA, H. C. AND LEUSCHNER, K.
- LEWTHWAITE, R. J., see CAYLEY, G. R. *et al.*
- LITTLE, R., see BRANDLE, J. E. *et al.*
- LÖCHER, F. J., LORENZ, G. AND BEETZ, K.-J.: Resistance management strategies for dicarboximide fungicides in grapes: results of six years' trial work, 139
- LORENZ, G., see LÖCHER, F. J. *et al.*
- MCEWEN, J., see YEOMAN, D. P. *et al.*
- MACK, T. P., WALKER, R. H. AND WEHTJE, G.: Impact of sicklepod control on several insect pests and their arthropod natural enemies in Florunner peanuts, 185
- MACHLITT, D., see PHILLIPS, P. A. *et al.*
- MARSHALL, G.: Biology and control of selected weed species in the genus *Oxalis*: *O. stricta* L., *O. latifolia* H.B.K. and *O. pes-caprae* L., 355
- MATHEWS, P. R., COTTEY, A. J. AND CLEMENTS, R. O.: Improving ryegrass establishment with microencapsulated fonofos insecticide, 313
- MEAD, M., see PHILLIPS, P. A. *et al.*
- MIAN, MD YOUSUF, AHMED, MD SAYED AND BROOKS, JOE E.: Small mammals and stored food losses in farm households in Bangladesh, 200
- MOODY, K., see CASTIN, E. M. AND MOODY, K.
- MOORE, D. AND ALEXANDER, L.: Stem injection of vamidothion for control of coconut mite, *Eriophyes guerreronis* Keifer in St Lucia, 329
- MORAN, S., SOFER, S. AND COHEN, M.: Control, by fluoroacetamide baits, of the rock hyrax, *Procavia capensis*, in fruit orchards, 265
- NAMWILA, J. C. P., see BRANDLE, J. E. *et al.*
- NEWSOM, L. D., see RUSSIN, J. S. *et al.*
- NEY, C., see DIRIWÄCHTER, G. *et al.*
- NICHOLLS, M. R., see PENROSE, L. J. *et al.*
- NORTON, G. A., see JUSOH, M. M. AND NORTON, G. A.
- OLADIRAN, A. O., see OLOWE, T. *et al.*
- OWE, T., DINA, S. O., OLADIRAN, A. O. AND OLUNGA, B. A.: Control of weed, pest and disease complex in cowpea (*Vigna unguiculata* (L.) Walp.) by the application of pesticides singly and in combination, 222
- OLUNGA, B. A., see OLOWE, T. *et al.*
- PATTRASUDHI, R., see CATLING, H. D. *et al.*
- PENROSE, L. J., NICHOLLS, M. R. AND KOFFMANN, W.: Failure of UV irradiation to reduce blue mould infections beneficially in an experimental water handling system for pome fruit, 399
- PHILLIPS, P. A., MACHLITT, D. AND MEAD, M.: Non-target effects of dimethoate and acephate against *Eusieus tularensis* Congdon and *Aphyris melinus* DeBach on lemons in California, 388
- PYE, B. J., see CAYLEY, G. R. *et al.*
- RAMESH BABU, T. AND AZAM, K. M.: Toxicity of different fungicides to adult *Cryptolaemus montrouzieri* Mulsant (Coleoptera: Coccinellidae), 161
- ROWNEY, C. M., see GREIG-SMITH, P. W. AND ROWNEY, C. M.
- ROYALL, WILLIS C., JR, see CUMMINGS, JOHN L. *et al.*
- RUANGSOOK, B. AND KHUSH, G. S.: Genetic analysis of resistance to green leafhopper *Nephotettix virescens* (Distant) in some selected rice varieties, 244
- RUSSIN, J. S., NEWSOM, L. D., BOETHEL, D. J. AND SPARKS, A. N., JR: Multiple pest complexes on soybean: influences of threecornered alfalfa hopper injury on pod and stem blight and stem anthracnose diseases and seed vigour, 320
- SALIM, M. AND HEINRICHS, E. A.: Insecticide-induced change in the levels of resistance of rice cultivars to the white-backed planthopper *Sogatella furcifera* (Horváth) (Homoptera: Delphacidae), 28
- SAMOUCOA, Y. AND GISI, U.: Systemicity and persistence of cymoxanil in mixture with oxadixyl and mancozeb against *Phytophthora infestans* and *Plasmopara viticola*, 393
- SHARMA, H. C. AND LEUSCHNER, K.: Chemical control of sorghum head bugs (Hemiptera: Miridae), 334
- SHIRES, S. W., INGLESFIELD, C. AND TIPTON, J. D.: Effects of chlorfenvinphos on *Bemisia tabaci* Genn. and its parasites on cotton in the Sudan Gezira, 109
- SIPPELL, D. W., BINDRA, O. S. AND KHALIFA, H.: Resistance to whitefly (*Bemisia tabaci*) in cotton (*Gossypium hirsutum*) in the Sudan, 171
- SMELT, J. H., CRUM, S. J. H., TEUNISSEN, W. AND LEISTRA, M.: Accelerated transformation of aldicarb, oxamyl and ethoprophos after repeated soil treatments, 295
- SOFER, S., see MORAN, S. *et al.*
- SOZZI, D., see DIRIWÄCHTER, G. *et al.*
- SPARKS, A. N., JR, see RUSSIN, J. S. *et al.*
- STAUB, T., see DIRIWÄCHTER, G. *et al.*
- STEVENS, P. J. G. AND BUKOVAC, M. J.: Effects of spray application parameters on foliar uptake and translocation of daminozide and 2,4-D-triethanolamine in *Vicia faba*, 163
- STOAKLEY, J. T., see HAND, S. C. *et al.*
- SUETT, DAVID: Influence of treatment of soil with carbofuran on the subsequent performance of insecticides against cabbage root fly (*Delia radicum*) and carrot fly (*Psila rosae*), 371
- SUETT, D. L.: Accuracy and uniformity of insecticide treatment of commercially produced plant-propagation modules, 179
- SUTTON, J. C., see JESPERSON, G. D. AND SUTTON, J. C.
- SYMMONS, P. M., see WRIGHT, D. E. AND SYMMONS, P. M.
- TEUNISSEN, W., see SMELT, J. H. *et al.*
- THOMPSON, L. S., see KUNELIUS, H. T. *et al.*
- TIPTON, J. D., see SHIRES, S. W. *et al.*
- UK, S.: Distribution patterns of aerially applied ULV sprays by aircraft over and within the cotton canopy in the Sudan Gezira, 43
- VERNON, ROBERT S., JUDD, G. J. R. AND BORDEN, J. H.: Commercial monitoring programme for the onion fly, *Delia antiqua* (Meigen) (Diptera: Anthomyiidae), 304
- VIAJANTE, V. AND HEINRICHS, E. A.: Plant age effect of rice cultivar IR46 on susceptibility to the yellow stem borer *Scirpophaga incertulas* (Walker) (Lepidoptera: Pyralidae), 33
- WALKER, R. H., see MACK, T. P. *et al.*
- WALL, C., BOURNOVILLE, R., GREENWAY, A. R. AND EINHORN, J.: Efficacy and stability of sex-attractant lures for *Cydia nigricans* (F.) and *Cydia medaginis* (Kuzn.), 7
- WEHTJE, G., see MACK, T. P. *et al.*
- WILLIS, C. B., see KUNELIUS, H. T. *et al.*
- WINDER, G. H., see CAYLEY, G. R. *et al.*

WRIGHT, D. E. AND SYMMONS, P. M.:  
Origin and control of the 1984 plague  
of the Australian plague locust *Chor-*  
*toicetes terminifera* (Walker), 13  
WRIGHT, DENIS J., *see* DAVENPORT,

ANTHONY P. AND WRIGHT, DENIS J.  
YEOMAN, D. P., LAPWOOD, D. H. AND  
MCEWEN, J.: Effects of a range of  
fungicides used to control rust (*Uro-*  
*myces viciae-fabae*) on spring-sown field

beans (*Vicia faba*) in the UK, 90  
ZADOKS, J. C., *see* HEESTERBEEK, J. A. P.  
AND ZADOKS, J. C.

## Calendar

4-6 January 1988  
Guildford, UK

### BCPC Symposium on Application to Seeds and Soil

Contact: Mrs R. Bishop, BCPC, 20  
Bridport Road, Thornton Heath, Surrey,  
CR4 7QG, UK

26-28 January 1988  
Washington, DC, USA

### AgBiotech '88 International Conference and Exposition

Contact: Judy Green, AgBiotech '88,  
CMC, 200 Connecticut Avenue, Box  
4990, Norwalk, CT 06856-4990, USA

March 1988  
Kuala Lumpur, Malaysia

### First International Symposium of Fruit Flies in the Tropics

Contact: Mr Tan Chai Lin, International  
Symposium of Fruit Flies in the Tropics,  
c/o Central Research Laboratories,  
MARDI, PO Box 12301, Kuala Lumpur  
50774, Malaysia

13-16 March 1988  
San Diego, CA, USA

### International Conference on the Biotechnology of Microbial Products: Novel Pharmacological and Agrobiological Activities

Contact: Mrs A. Kulback, SIM, PO Box  
12543, Arlington, VA 22209-8534, USA

6-8 April 1988  
Hertfordshire, UK

### Electrophoretic Studies on Agricultural Pests

Contact: Dr H. D. Loxdale, Department  
of Entomology, Rothamsted Experimental  
Station, Harpenden, Herts, AL5 2JQ, UK

8 April 1988  
London, UK

### The Biochemical Basis of Pesticide Discovery

Contact: Dr S. D. M. Watts, Dept. of  
Biochemical Microbiology, The Wellcome  
Research Laboratories, Langley Court,  
Beckenham, Kent BR3 3BS, UK

11-15 April 1988  
Nottingham, UK

### Neurotox 88: Neuropharmacology and Pesticide Action

Contact: The Conference Secretariat, The  
Society of Chemical Industry, 14 Belgrave  
Square, London SW1X 8PS, UK

20-27 August 1988  
Kyoto, Japan

### 5th International Congress of Plant Pathology

Contact: Secretariat, 5th International  
Congress of Plant Pathology, 1-43-11,  
Komagome, Toshima-Ku, Tokyo, 170  
Japan

6-8 September 1988  
Wageningen, Netherlands

### International Symposium on Factors Affecting Herbicidal Activity and Selectivity

Contact: Mrs E. J. L. Holtke-Staal, Int.  
Agric. Centrum, PO Box 88, NL-6700  
AB Wageningen, Netherlands

April 1989  
Valencia, Spain

### Problems of Weed Control in Fruit, Horticultural Crops and Rice

Contact: Mrs A. Caballer, IVIA,  
Apartado Oficial, 46071 Moncada  
(Valencia), Spain



